

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re patent application of

Docket No. 01730016AA

D. FREEMAN et al.

Serial No.: 09/750,350

Group Art Unit: 2121

Filed: December 29, 2000

Examiner: Unknown

For: PROJECT MANAGEMENT FOR COMPLEX CONSTRUCTION PROJECTS BY  
MONITORING SUBCONTRACTORS IN REAL TIME

Box PGPUB DRAWINGS

Commissioner of Patents and Trademarks

Washington, D.C. 20231

**SUBMISSION OF FORMAL DRAWINGS IN RESPONSE TO  
NOTICE OF INCOMPLETE REPLY (NONPROVISIONAL)**

Sir:

In response to the Notice of Incomplete Reply, dated May 23, 2001, submitted herewith are seven (7) sheets of formal drawings comprising of figures 1 - 7 for the above-identified patent application. Applicant is filing concurrently herewith a Petition and Fee under 37 C.F.R. 1.136(a).

Please charge any deficiencies and credit any overpayment to Applicant's deposit account 23-1951.

Respectfully submitted,

Michael E. Whitham

Reg. No.: 32,635

McGuireWoods, LLP  
1750 Tysons Boulevard  
Suite 1800  
McLean, Virginia 22102  
(703) 712-5000




## UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
www.uspto.gov

| APPLICATION NUMBER | FILING/RECEIPT DATE | FIRST NAMED APPLICANT | ATTORNEY DOCKET NUMBER |
|--------------------|---------------------|-----------------------|------------------------|
| 09/750,350         | 12/29/2000          | Darlene M. Freeman    | 01730016AA             |

McGuireWoods LLP  
Suite 1800  
1750 Tysons Boulevard  
McLean, VA 22102-4215



CONFIRMATION NO. 6897

## FORMALITIES LETTER



\*OC000000006106895\*

Date Mailed: 05/23/2001

## NOTICE OF INCOMPLETE REPLY (NONPROVISIONAL)

*Filing Date Granted*


The U.S. Patent and Trademark Office has received your reply on to the Notice mailed and it has been entered into the nonprovisional application. The reply, however, doesnot include the following items required in the Notice.

The period of reply remains as set forth in the Notice. You may, however, obtain EXTENSIONS OF TIME under the provisions of 37 CFR 1.136 (a) accompanied by the appropriate fee (37 CFR 1.17(a)).

A complete reply must be timely filed to prevent ABANDONMENT of the above-identified application.

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. ( 5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice MUST be returned with the reply.*

  
Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE